

SANITISING & Y



INDONESIA OFFICE WEST PARK B-23 JL. BLVD. BARAT BSD CITY PAGEDANGAN, TANGERANG **BANTEN 15336** +62 2 150 858 721

HEAD OFFICE AND R&D LAB

UNIT 1 / 6 POWELLS ROAD BROOKVALE, SYDNEY NSW 2100 AUSTRALIA



+61 2 8078 2207

MELBOURNE OFFICE

11 CORPORATE DRIVE CRANBOURNE WEST VIC 3977 AUSTRALIA

+61 3 8679 4575

USA R&D LAB

48233 WARM SPRINGS BLVD. FREMONT CA

+1 510 945 1001 +1 510 298 5772



SAN-MAXI APPLICATIONS







Fast Food Chains

School









ZERO TOUCH CONTROL



HDMI CABLE SUPPORT



LOW SANITIZER LEVEL via SMS or EMAIL



REMOTE ADJUST SETTINGS



CLOUD REPORTING



5L or 10L CONTAINER CAPACITY



LOW WATER LEVEL via SMS or EMAIL



TEMPERATURE DISPLAY



DISPENCING REPORTS (USAGE PROOF REPORTS)



OPTIONAL SOLAR POWER UNIT



~

DIGITAL SIGNAGE



SUPPORT 4G SIM CARD, ETHERNET and WIRELESS



ZERO TOUCH CONTROL

SANMATE cares about your health.

Use of SANMATE without any touch.

so that users don't need to touch the surface to get the sanitizer from the machine



LOW SANITIZER LEVEL TEXT or EMAIL

- SAN-MATE makes it easy for users to get notifications via SMS that have been implanted with a SIM CARD in it.
- ➤ Users can use sim cards from operators in Indonesia.
- ➤ Users can connect SANMATE to the internet network either via a wired or wireless network



CLOUD REPORTING

SANMATE stores and maintains user data in the cloud server. Users can use reports by accessing the portal to be provided




REMOTE ADJUST SETTINGS

Now, users do not need to go to the location where the machine is located. Users can change settings on the machine remotely as long as the machine is connected to the internet




TEMPERATURE DISPLAY

SANMATE is not only an automatic sanitizer machine. SANMATE can detect everyone's body temperature before entering a building or public place wherever this machine will be used.



Portal Dashboard





Graph Reports



Sanitizer Counting and Volume (This week)





Raw Pump Reports

DEVICE	SANITIZER	VOLUME (ML.)	TIMESTAMP
san-maxi-indo-001	000015-C911	9.6	March 31, 2021, 6:58 p.m.
san-maxi-indo-001	000015-C911	0.2	March 31, 2021, 6:57 p.m.
san-maxi-indo-001	000015-C911	7.9	March 31, 2021, 6:58 p.m.
san-maxi-indo-001	000015-C911	1.0	March 31, 2021, 6:57 p.m.
san-maxi-indo-001	000015-C911	7.4	March 31, 2021, 6:57 p.m.
san-maxi-indo-001	000015-C911	5.2	March 31, 2021, 6:57 p.m.
san-maxi-indo-001	000015-C911	20.0	March 31, 2021, 6:57 p.m.
san-maxi-indo-001	000015-C911	9.9	March 31, 2021, 6:57 p.m.
san-maxi-indo-001	000015-C911	2.8	March 31, 2021, 6:57 p.m.
san-maxi-indo-001	000015-C911	3.1	March 31, 2021, 6:57 p.m.
san-maxi-indo-001	000015-C911	7.8	March 31, 2021, 6:57 p.m.
san-maxi-indo-001	000015-C911	2.1	March 31, 2021, 6:57 p.m.
san-maxi-indo-001	000015-C911	0.0	March 31, 2021, 6:57 p.m.



Raw Temperature Reports

project	THEFTAND	popy	ANADIENE
DEVICE	TIMESTAMP	BODY	AMBIENT
san-maxi-indo-001	April 6, 2021, 5:46 p.m.	36.4	30.1
san-maxi-indo-001	April 6, 2021, 5:30 p.m.	36.4	30.0
san-maxi-indo-001	April 6, 2021, 5:30 p.m.	36.7	30.0
san-maxi-indo-001	April 6, 2021, 5:30 p.m.	36.5	30.0
san-maxi-indo-001	April 6, 2021, 5:30 p.m.	36.5	30.0
san-maxi-indo-001	April 6, 2021, 3:16 p.m.	36.2	29.4
san-maxi-indo-001	April 6, 2021, 3:16 p.m.	35.8	29.4
san-maxi-indo-001	April 6, 2021, 3:16 p.m.	34.9	29.4
san-maxi-indo-001	April 6, 2021, 3:16 p.m.	36.1	29.4
san-maxi-indo-001	April 6, 2021, 3:04 p.m.	36.1	29.3
san-maxi-indo-001	April 6, 2021, 2:07 p.m.	36.2	29.0
san-maxi-indo-001	April 6, 2021, 2:07 p.m.	35.3	29.0
san-maxi-indo-001	April 6, 2021, 2:07 p.m.	35.6	29.0




SIM Logs Reports

0 0 0

DEVICE	SIM	DIRECTION	MESSAGE	CREATED WHEN
san-maxi-indo-001	SIM1-T-SEL-San-Maxi-Indo-001	in	sanmate: sim:0 connected:Y signal:42 snr:N/A operator:T-SEL imsi:510109294325754	March 26, 2021, 9:57 a.m.
san-maxi-indo-001	SIM1-T-SEL-San-Maxi-Indo-001	out	sanmate: status	March 26, 2021, 9:56 a.m.
san-maxi-indo-001	SIM1-T-SEL-San-Maxi-Indo-001	in	sanmate: sim:0 connected:Y signal:46 snr:N/A operator:T-SEL imsi:510109294325754	March 25, 2021, 4:10 p.m.
san-maxi-indo-001	SIM1-T-SEL-San-Maxi-Indo-001	out	sanmate: status	March 25, 2021, 4:10 p.m.
san-maxi-indo-001	SIM1-T-SEL-San-Maxi-Indo-001	in	sanmate: reboot OK	March 25, 2021, 3:15 p.m.
san-maxi-indo-001	SIM1-T-SEL-San-Maxi-Indo-001	out	sanmate: reboot	March 25, 2021, 3:14 p.m.
san-maxi-indo-001	SIM1-T-SEL-San-Maxi-Indo-001	in	sanmate: sim:0 connected:Y signal:46 snr:N/A operator:T-SEL imsi:510109294325754	March 25, 2021, 3:13 p.m.
san-maxi-indo-001	SIM1-T-SEL-San-Maxi-Indo-001	out	sanmate: status	March 25, 2021, 3:12 p.m.
san-maxi-indo-001	SIM1-T-SEL-San-Maxi-Indo-001	in	sanmate: sim:0 connected:Y signal:49 snr:N/A operator:T-SEL imsi:510109294325754	March 25, 2021, 2:23 p.m.
san-maxi-indo-001	SIM1-T-SEL-San-Maxi-Indo-001	out	sanmate: status	March 25, 2021, 2:22 p.m.







We Can Customize your Logo